

Dr. S. SENTHILNATHAN Director (FAC)

Code No: MMTTC/NB/I/PAS

## Sealed Quotations are invited for the Supply and Installation of PUBLIC ADDRESS SYSTEMS (3 Nos.):

S. No	Specifications	No(s). Required
	For Seminar Hall (01) - Size: 17.84m x 9.00m	
1.	Speakers (150 Watts)	10 Nos.
	Amplifier	01 No
	Stage Monitor Amplifier	01 No
	Mixer Signature	01 No
	Wireless Microphones	02 Nos.
	Wired Microphones	02 Nos.
	Microphone Stand	01 No
	Speaker Wall Stand	10 Nos.
2.	For Training Halls (02) Size:  (i) 6.00m x 10.64m & (ii) 6.00m x 8.63m	
	Speakers (20 Watts)	08 Nos.
	Amplifier	02 Nos.
	Wireless Microphones	02 Nos.
	Wired Microphones	02 Nos.
	Microphone Stand	02 Nos.
	Speaker Wall Stand	08 Nos.

Note: Sealed Quotations, mentioning the Code No. (MMTTC/NB/I/PAS) are to be addressed and sent to **The Programme Director**, **UGC-Malaviya Mission Teacher Training Centre (Formerly UGC-Human Resource Development Centre)**, **Bharathidasan University, Tiruchirappalli - 620 023** within 15 working days.

> *For Site Visit and Specifications, contact:* +91 93450 06325 / +91 97885 24012

08.03.2025

Dr. S. SENTHILNATHAN PROGRAMME DIRECTOR UGC-Malaviya Mission Teacher Training Centre BHARATHIDASAN UNIVERSITY Tiruchirappalli - 620 023, Tamil Nadu